

NEW/OPEN ENFORCEMENT ACTIONS DETAIL REPORT
03/1/2026 – 03/31/2026
Report of open actions initiated since last report

NEW (Enforcement actions issued in the current reporting period:

None.

PENDING (Enforcement actions issued prior to 03/01/2026 with no reporting action in the current reporting period):

1. JEFFREY HEITZMAN & JANICE CASTLE (EUGENE)
 - A. Violation: Outdoor burning of prohibited materials including construction/ demolition debris.
 - B. Initial Action Taken: NON #3948 issued 1/15/2026
 - C. Subsequent Action: NCP #2025-3948 (\$3,388) issued 1/15/2026; no response, no payment received; default order and judgment for a lien on the property.
 - D. Resolution: PENDING
 - E. Source Type: OUTDOOR BURNING
 - F. Initiated By: COMPLAINT
2. RADIUS RECYCLING (EUGENE)
 - A. Violation: Outdoor burning where prohibited and outdoor burning of prohibited materials.
 - B. Initial Action Taken: NON #3951 issued 1/14/2026
 - C. Subsequent Action: PENDING – reviewing additional information submitted 3/13/2026
 - D. Resolution: PENDING
 - E. Source Type: OUTDOOR BURNING
 - F. Initiated By: COMPLAINT
3. GREENSIDE CONSTRUCTION INC. (HAPPY VALLEY)
 - A. Violation: During an inspection, no signage identifying an air curtain incinerator activities and information was present at Buford Park in Eugene which is in violation of their Permit No. 206131 condition 6.1.c. ii.

- B. Initial Action Taken: NON #3953 issued 1/27/2026
 - C. Subsequent Action: PENDING – waiting for additional information due 3/15/2026; no additional information received
 - D. Resolution: PENDING
 - E. Source Type: ACI
 - F. Initiated By: INSPECTION
4. AURORA INNOVATIONS, LLC / HYDROFARM (EUGENE)
- A. Violation: Aurora Innovations LLC (Aurora) has allegedly allowed perlite fines processed at the facility to become fugitive and cause visible deposition on neighboring properties and is a violation of ACDP permit #200053 Permit Condition G4. It is also alleged that Aurora failed to monitor baghouse pressure drop or conduct fugitive surveys in 2024. The failure to monitor baghouse pressure drop and to conduct fugitive emission surveys are in violation of ACDP permit #200053 Permit Conditions 27 & 13.
 - B. Initial Action Taken: NON #3949 issued 1/22/2026
 - C. Subsequent Action: PENDING
 - D. Resolution: PENDING
 - E. Source Type: ACDP
 - F. Initiated By: COMPLAINT
5. DUST 2 DIAMONDS, LLC (SPRINGFIELD)
- A. Violation: Performed an asbestos abatement project without possessing a license to perform asbestos abatement; openly accumulated friable asbestos-containing materials.
 - B. Initial Action Taken: NON #3908 issued 9/6/2024
 - C. Subsequent Action: NCP #2024-3908 (\$8,400) issued 9/6/2024; request for reduction approved and reduced to \$4,800 with a payment plan of \$100; payments are on schedule as of 2/28/2026.
 - D. Resolution: PENDING
 - E. Source Type: ASBESTOS

- F. Initiated By: INSPECTION
6. REMEDIOS ROMERO (COTTAGE GROVE)
- A. Violation: Respondent conducted the burning of prohibited materials, including painted wood, metal, tin cans, plastic bags, food waste, plastics fiberglass roofing and general household garbage in a burn barrel.
 - B. Initial Action Taken: NON #3930 issued 08/06/2025
 - C. Subsequent Action: NCP #2025-3930 (\$1,019) issued 08/06/2025; no response, default order and judgment (DOJ) in process
 - D. Resolution: PENDING
 - E. Source Type: OUTDOOR BURNING
 - F. Initiated By: COMPLAINT

CLOSED ENFORCEMENT CASES Enforcement closed in the current reporting period 03/01/2026 – 03/31/2026):

1. GIELISH, SCOTT (EUGENE)
- A. Violation: Outdoor burning unattended, failure to promote efficient combustion and failure to follow strict wind vectors when burning.
 - B. Initial Action Taken: NON #3958 issued 2/25/2026
 - C. Subsequent Action: OBLP 20B25-12-02 was revoked and no additional forest slash debris will be burned on this site.
 - D. Resolution: CASE CLOSED 03/09/2026
 - E. Source Type: OUTDOOR BURNING
 - F. Initiated By: COMPLAINT
2. WILLAMETTE VALLEY SANDBLASTING (EUGENE)
- A. Violation: Failure to comply with their ACDP 208923 conditions to perform visible emissions survey of plant
 - B. Initial Action Taken: NON #3956 issued 2/19/2026

- C. Subsequent Action: Initiated Method 22 observations and ensure that they are performed at the frequency outlined in the permit.
 - D. Resolution: CASE CLOSED 03/01/2026
 - E. Source Type: ACDP
 - F. Initiated By: INSPECTION
3. LODGE ENVIRONMENTAL (EUGENE)
- A. Violation: During an inspection of an asbestos abatement project the Respondent failed to install a viewing window which is a violation of 43-015-11-F-5.
 - B. Initial Action Taken: NON #3957 issued 2/4/2026
 - C. Subsequent Action: Installed viewing window and will continue with inspections.
 - D. Resolution: CASE CLOSED 3/1/2026
 - E. Source Type: ASBESTOS
 - F. Initiated By: INSPECTION