



## BASIC AIR CONTAMINANT DISCHARGE PERMIT

Lane Regional Air Protection Agency  
1010 Main Street  
Springfield, OR 97477  
(541) 736-1056

This permit is being issued in accordance with the provisions of LRAPA's Rules and Regulations and based on the land use compatibility findings included in the permit record.

---

---

ISSUED TO:

**Lane County Waste Management**  
3100 E 17<sup>th</sup> Ave  
Eugene OR, 97403

INFORMATION RELIED UPON:

Application No.: 73296  
Date Received: 05/07/2026

PLANT SITE LOCATION:

**Lane County Waste Management –  
Glenwood Transfer Station**  
3100 E 17<sup>th</sup> Ave  
Eugene OR, 97403

LAND USE COMPATIBILITY  
STATEMENT:

Approving Authority: City of Springfield  
Approval Date: 06/11/2026

**ISSUED BY THE LANE REGIONAL AIR PROTECTION AGENCY**

Travis Knudsen, Executive Director

July 20, 2026

Effective Date

---

---

Source(s) Permitted to Discharge Air Contaminants  
(OAR 340-216-0020(9) and OAR 340-216-8010):

| Table 1 Code | Source Description                                                                                                                                                                                                                                           | SIC  |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Part A.8     | Sources subject to permitting under Table 1 Part B.85 where all criteria in Table 1 Part A.8 a. through c. are met.<br><br><i>(Propane flare with enforceable limit on actual emissions to less than 10 tons per year of any single criteria pollutant.)</i> | 4953 |

## **1.0 PERMIT ISSUANCE**

### **1.1 Permitted Activities**

The permittee is allowed to discharge air contaminants from processes and activities related to the air contaminant source(s) listed on the first page of this permit until this permit expires, is modified, revoked or rescinded as long as the permittee complies with the conditions of this permit. If there are other emissions activities occurring at the site besides those listed on the cover page of this permit, the permittee may be required to obtain a General, Simple or Standard ACDP, if applicable. The permittee is also allowed to discharge air contaminants from the following: [LRAPA 37-0056(4)(a)]

- a. Any categorically insignificant activities, as defined in LRAPA title 12, at the source, and
- b. Construction or modification changes that are a Type 1 or Type 2 change under LRAPA 34-035 in accordance with LRAPA 34-010 and 34-035 through 34-038.

## **2.0 GENERAL EMISSION STANDARDS AND LIMITS**

### **2.1 Operating Limits**

The permittee must comply with the following operating limitations:

- a. The permittee is prohibited from operating the propane flare more than 2,900 hours per year (in any 12 consecutive calendar months) without first applying for and being issued a General, Simple, or Standard Air Contaminant Discharge Permit (ACDP). [LRAPA 37-0020(2)]

### **2.2 Visible Emissions**

The permittee must comply with the following visible emission limits, as applicable:

- a. For all emission units, the permittee must not emit or allow to be emitted any visible emissions that equal or exceed an average of 20 percent opacity. [LRAPA 32-010(3)(a)]

- b. The visible emission standards in 2.2.a are based on the average of 24 consecutive observations recorded at 15-second intervals, which comprise a six-minute block. Six-minute blocks need not be consecutive in time and in no case may two (2) blocks overlap. For each set of 24 observations, the six-minute block average is calculated by summing the opacity the 24 observations and dividing the sum by 24.

Six-minute block averages are measured by EPA Method 9, a continuous opacity monitoring system (COMS), or LRAPA-approved monitoring method. [LRAPA 32-010(2)]

- c. The visible emissions standard in this condition does not apply to fugitive emissions from the source. [LRAPA 32-010(1)]

**2.3 Particulate Matter Weight Standards for Combustion Sources**

For fuel burning equipment that was installed, constructed, or modified after June 1, 1970, but prior to April 16, 2015, the particulate matter emissions must not exceed 0.10 grains per dry standard cubic foot, corrected to 50 percent excess air provided that all representative compliance source test results prior to April 16, 2015, demonstrate particulate matter emissions not greater than 0.080 grains per dry standard cubic foot. [LRAPA 32-030(1)(a), 32-030(3) and 32-030(3)(b)]

For fuel burning equipment that was installed, constructed, or modified after June 1, 1970, but prior to April 16, 2015, the particulate matter emissions must not exceed 0.14 grains per dry standard cubic foot, corrected to 50 percent excess air, provided that any representative compliance source test results prior to April 16, 2015 demonstrate emissions greater than 0.080 grains per dry standard cubic foot or if there are no representative compliance source test results. [LRAPA 32-030(1)(b), 32-030(3) and 32-030(3)(b)]

For fuel burning equipment that was installed, constructed, or modified after April 16, 2015, the particulate matter emissions must not exceed 0.10 grains per dry standard cubic foot, corrected to 50 percent excess air. [LRAPA 32-030(2), 32-030(3) and 32-030(3)(b)]

**2.4 Particulate Matter Fallout**

The permittee must not cause or permit the emission of any particulate matter larger than 250 microns in size at sufficient duration or quantity, as to create an observable

deposition upon the real property of another person.  
[LRAPA 32-055]

- 2.5 Nuisance and Odors** The permittee must not cause or allow air contaminants from any source to cause a nuisance. Nuisance conditions will be verified by LRAPA personnel. [LRAPA 49-010]
- 2.6 Other Regulations** In addition to the specific requirements listed in this permit, the permittee must comply with all other applicable legal requirements enforceable by LRAPA.

### **3.0 MONITORING AND RECORDKEEPING REQUIREMENTS**

- 3.1 Monitoring Requirements** The permittee must monitor and maintain records of the operation of the propane flare as follows: [LRAPA 34-016(1)]
- a. The total hours of operation of the propane flare each calendar month
- 3.2 Operation and Maintenance** The permittee must maintain all records associated with continuous monitoring data, including, but not limited to, original data sheets, charts, calculations, calibration data, production records and final reports related to the operation and maintenance of the plant and associated air contaminant control devices. [LRAPA 34-016(1)]
- 3.3 Excess Emissions** The permittee must maintain records of excess emissions as defined in LRAPA title 36 (recorded on occurrence). Typically, excess emissions are caused by process upsets, startups, shutdowns, or scheduled maintenance. Excess emissions are evident when visible emissions are greater than 20% opacity for any six-minute block period, in accordance with Condition 2.2. [LRAPA 36-025]
- 3.4 Complaint log** The permittee must maintain a log of all written complaints and complaints received via telephone, fax, or email that specifically refer to air pollution concerns associated to the permitted facility. The log must include a record of the permittee's actions to investigate the validity of each complaint and a record of actions taken for complaint resolution. [LRAPA 34-016(1)]
- 3.5 Retention of Records** Unless otherwise specified, all records must be maintained on site for a period of at least five (5) years and be made available to LRAPA upon request. [LRAPA 34-016(5)]

## 4.0 REPORTING REQUIREMENTS

- 4.1 Annual Report** The permittee must submit to LRAPA by **February 15** of each year this permit is in effect the following information for the preceding calendar year: [LRAPA 34-016(2)]
- a. The total hours of operation of the propane flare during the previous calendar year.
  - b. Records of all planned and unplanned excess emissions events.
  - c. Summary of complaints relating to air quality received by the permittee during the year.
- 4.2 Notice of Change of Ownership or Company Name** The permittee must notify LRAPA in writing using a LRAPA "Permit Application Form" within 60 days after the following: [LRAPA 37-0030(4)]
- a. Legal change of the name of the company as registered with the Corporations Division of the State of Oregon; or
  - b. Sale or exchange of the activity or facility.
- 4.3 Construction or Modification Notices** The permittee must notify LRAPA in writing using a LRAPA "Notice of Construction Form," or "Permit Application Form," and obtain approval in accordance with LRAPA 34-010 through 34-038 before:
- a. New Sources: [LRAPA 34-010(1)(a)]
    - i. Construction or operation of a new source that emits any regulated air pollutant.
  - b. Existing Source: [LRAPA 34-010(1)(b)(A)-(C)]
    - i. Construction or modification that will cause an increase, on an hourly basis at full production, of any regulated air pollutant emissions;
    - ii. Replacement of a device or activity that emits any regulated air pollutants; or
    - iii. Construction, modification, or replacement of any air pollution control device.
- 4.4 Where to Send Reports and Notices** All reports, notices, and applications should be directed to the LRAPA office identified in Condition 6.2.

## 5.0 ADMINISTRATIVE REQUIREMENTS

- 5.1 Renewal of the Basic Permit** A complete application for renewal of this permit is due within 30 days prior to expiration. [LRAPA 37-0040(2)(b)(A)]
- If LRAPA is delinquent in renewing the permit, the existing permit will remain in effect and the permittee must comply with the conditions of the permit until such time that the permit is renewed.
  - The permittee may submit an application for either a General, Simple or Standard ACDP at any time, but the permittee must continue to comply with the Basic ACDP until LRAPA takes final action on the General, Simple or Standard ACDP application.
  - If a complete application for renewal of the Basic ACDP or General, Simple or Standard ACDP is filed with LRAPA in a timely manner, the permit will not be deemed to expire until final action has been taken on the application.
- 5.2 Where to Send Renewal Application** All reports, notices, and applications should be directed to the LRAPA office identified in Condition 6.2.

## 6.0 FEES

- 6.1 Annual Fees** The Annual Fees specified in LRAPA title 37, Section 37-8020, Table 2, Part 2.b. and 3.a. for a Basic ACDP are due on **December 1** of each year this permit is in effect. An invoice indicating the amount, as determined by LRAPA regulations, will be mailed prior to the above date. [LRAPA 37-0056(3)]
- 6.2 Where to Submit Fees** Fees must be submitted to:
- Lane Regional Air Protection Agency  
1010 Main Street  
Springfield, OR 97477  
Telephone: (541) 736-1056  
[www.Lrapa-or.gov](http://www.Lrapa-or.gov)  
Email: [permitting@lrapa-or.gov](mailto:permitting@lrapa-or.gov)

## **7.0 GENERAL CONDITIONS AND DISCLAIMERS**

- |                                                     |                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>7.1 Other Regulations</b>                        | In addition to the specific requirements listed in this permit, the permittee must comply with all other legal requirements enforceable by LRAPA.                                                                                                                                                                                                                                |
| <b>7.2 Conflicting Conditions</b>                   | In any instance in which there is an apparent conflict relative to conditions in this permit, the most stringent conditions apply.                                                                                                                                                                                                                                               |
| <b>7.3 Masking of Emissions</b>                     | The permittee must not cause or permit the installation of any device or use any means designed to mask the emissions of an air contaminant that causes or is likely to cause detriment to health, safety, or welfare of any person or otherwise violate any other regulation or requirement. [LRAPA 32-050]                                                                     |
| <b>7.4 LRAPA Access</b>                             | The permittee must allow LRAPA's representatives access to the plant site and pertinent records at all reasonable times for the purposes of performing inspections, surveys, collecting samples, obtaining data, reviewing and copying air contaminant emissions discharge records and conducting all necessary functions related to this permit in accordance with ORS 468-095. |
| <b>7.5 Permit Availability</b>                      | The permittee must have a copy of the permit available at the facility at all times.                                                                                                                                                                                                                                                                                             |
| <b>7.6 Outdoor Burning</b>                          | The permittee may not conduct any outdoor burning except as allowed by LRAPA title 47.                                                                                                                                                                                                                                                                                           |
| <b>7.7 Asbestos</b>                                 | The permittee must comply with the asbestos abatement requirements in LRAPA title 43 for all activities involving asbestos-containing materials, including, but not limit to, demolition, renovation, repair, construction, and maintenance.                                                                                                                                     |
| <b>7.8 Property Rights</b>                          | The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations.                                                                                 |
| <b>7.9 Termination, Revocation, or Modification</b> | LRAPA may terminate, modify or revoke this permit in accordance with LRAPA title 37, section 37-0082 and section 37-0084.                                                                                                                                                                                                                                                        |

## 8.0 ABBREVIATIONS, ACRONYMS, AND DEFINITIONS

|                 |                                                                    |                      |                                                           |
|-----------------|--------------------------------------------------------------------|----------------------|-----------------------------------------------------------|
| ACDP            | Air Contaminant Discharge Permit                                   | NSPS                 | New Source Performance Standard                           |
| ASTM            | American Society for Testing and Materials                         | NSR                  | New Source Review                                         |
| AQMA            | Air Quality Maintenance Area                                       | O <sub>2</sub>       | Oxygen                                                    |
| calendar year   | The 12-month period beginning January 1st and ending December 31st | OAR                  | Oregon Administrative Rules                               |
| CFR             | Code of Federal Regulations                                        | ORS                  | Oregon Revised Statutes                                   |
| CO              | Carbon monoxide                                                    | O&M                  | Operation and maintenance                                 |
| DEQ             | Oregon Department of Environmental Quality                         | Pb                   | Lead                                                      |
| dscf            | Dry standard cubic foot                                            | PCD                  | Pollution control device                                  |
| EPA             | US Environmental Protection Agency                                 | PM                   | Particulate matter                                        |
| FCAA            | Federal Clean Air Act                                              | PM <sub>10</sub>     | Particulate matter less than 10 microns in size           |
| gal             | Gallon(s)                                                          | PM <sub>2.5</sub>    | Particulate matter less than 2.5 microns in size          |
| gr/dscf         | Grains per dry standard cubic foot                                 | ppm                  | Part per million                                          |
| HAP             | Hazardous Air Pollutant as defined by LRAPA title 44               | PSD                  | Prevention of Significant Deterioration                   |
| ID              | Identification number                                              | PSEL                 | Plant Site Emission Limit                                 |
| O&M             | Operation and maintenance                                          | PTE                  | Potential to Emit                                         |
| lb              | Pound(s)                                                           | RACT                 | Reasonably Available Control Technology                   |
| LRAPA           | Lane Regional Air Protection Agency                                | scf                  | Standard cubic foot                                       |
| MMBtu           | Million British thermal units                                      | SER                  | Significant Emission Rate                                 |
| NA              | Not applicable                                                     | SIC                  | Standard Industrial Code                                  |
| NESHAP          | National Emissions Standards for Hazardous Air Pollutants          | SIP                  | State Implementation Plan                                 |
| NO <sub>x</sub> | Nitrogen oxides                                                    | SO <sub>2</sub>      | Sulfur dioxide                                            |
|                 |                                                                    | Special Control Area | As defined in LRAPA title 29                              |
|                 |                                                                    | VE                   | Visible emissions                                         |
|                 |                                                                    | VOC                  | Volatile organic compound                                 |
|                 |                                                                    | year                 | A period consisting of any 12-consecutive calendar months |



Lane Regional Air Protection Agency

**BASIC  
AIR CONTAMINANT DISCHARGE PERMIT  
REVIEW REPORT**

Lane County Waste Management  
Glenwood Transfer Station  
3100 E 17<sup>th</sup> Ave  
Eugene, OR 97403

| Reports |             |                  | NSPS | NESHAP | Public Notice |
|---------|-------------|------------------|------|--------|---------------|
| Annual  | Semi-annual | Excess Emissions |      |        |               |
| Feb 15  | NA          | NA               | NA   | NA     | Category I    |

1. The proposed permit is an initial permit for an existing facility which began operation in 1978 and is located at 3100 E 17<sup>th</sup> Ave Eugene, Oregon.
2. The facility operates a solid waste transfer station. The primary industrial classification for this facility is SIC 4953 – Refuse Systems and NAICS.
3. The significant emission unit at this facility is one (1) propane flare with a maximum heat input rating of 48.3 MMBtu per hour.
4. This facility qualifies for a Basic ACDP under OAR-340-216-8010 Table 1 Part A.8 based on the following:
  - a. The source is not subject to any category listed in OAR-340-216-8010 Table 1 other than Part B number 85;
  - b. The source has requested an enforceable limit on their actual emissions, if the source were to operate uncontrolled, to below Part B number 85 of this table through a limit on the hours of operation of the kiln;
  - c. Control devices are not required to be used or otherwise accounted for to maintain emissions levels compliant with b. above;
  - d. The source is not subject to and does not have any affected emissions units subject to a 40 C.F.R. part 60, part 61, or part 63 standard (NSPS or NESHAP);
  - e. The source is not subject to any specific industry or operation standard in OAR chapter 340, divisions 232, 234, or 236.

- f. LRAPA has determined that the source is not required to conduct source testing and source testing for emission factor verification will not be required.
- 5. The facility is not subject to any New Source Performance Standard (NSPS).
- 6. The facility is an area source of federal hazardous air pollutants. The facility is not subject to any area or major source National Emission Standards for Hazardous Air Pollutants (NESHAP).
- 7. The facility is located in an area that has been designated as attainment or unclassified for all criteria pollutants.
- 8. LRAPA has determined that sources that qualify for a Basic ACDP will not have significant emissions. In most cases, the emissions will not exceed 5 tons of PM or PM<sub>10</sub> or 10 tons of any other pollutant. Therefore, the Basic ACDP does not include Plant Site Emission Limits and it is not necessary to estimate emissions for each individual source.
- 9. Pursuant to LRAPA subsection 37-0056(4), issuance of a new or renewed Basic Air Contaminant Discharge Permit requires public notice in accordance with LRAPA paragraph 31-0030(3)(a). Therefore, there will be no prior notice or public participation. However, LRAPA will maintain a list of all permit actions processed under Category I and make the list available for public review.

AD  
07/07/2026